


The background is a light beige color. There are five gray rectangles of various sizes and orientations scattered across the page. One is a wide horizontal bar at the top left. Another is a vertical bar on the right side. A third is a vertical bar in the lower left. A fourth is a vertical bar in the center. The fifth is a wide horizontal bar at the bottom right.

FLOORS

GRANORTE

 DELIVERING NATURE

CORK FLOOR COVERINGS 2026

CORK WITH A PAST AND A FUTURE

Cork oak forests are a living legacy. They tell a story of care passed down through generations. Each harvest respects the tree's rhythm, with the bark being gently removed by hand, leaving the tree intact to regenerate naturally. This quiet cycle, repeated over centuries, shapes resilient landscapes that shelter life, enrich the soil and protect against erosion. Preserving these forests is an act of balance, where nature thrives while communities draw lasting value from a natural material shaped by time, patience and tradition.



MASTERING CORK SINCE 1972

For over five decades, we have worked with cork with the same respect and dedication held by the generations before us. Each product reflects the knowledge gained through experience, guided by exceptional craftsmanship and a deep care for cork. Our commitment to excellence is evident in every detail, where quality is never compromised and materials are treated with care and purpose. Every cork solution we create is backed by decades of skill, innovation and trust. Time gave us the tools. Experience gave us the confidence to shape cork with a vision.





GENTLE EMBRACE

Step upon cork, and feel the subtle cushion of nature itself. Each footfall is cradled by a soft, springy layer, warm to the touch and kind to weary legs. It invites barefoot wanderings, long conversations by the hearth, and the quiet comfort of a home that hugs you from the ground up.



NATURE’S WHISPER

Cork holds the silence like a secret. It captures sound, letting rooms breathe in peaceful calm, while also keeping warmth close, like sunlight trapped in a gentle embrace. In this quiet sanctuary, footsteps soften, voices linger without echo, and every corner feels a little more serene.



RESILIENT SPIRIT

Soft yet strong, cork yields to pressure and returns to form, forgiving the small accidents of life. Dropped objects, hurried footsteps, the dance of children, all leave only a whisper, never a mark. Durability flows from its very nature, offering a floor that lives and breathes alongside you, through years of stories.



EARTH’S PALETTE

Cork’s warm, earthy tones and pure patterns bring Nature in, turning rooms into canvases of quiet beauty. Each tile or plank tells its own story, a subtle rhythm of light and shadow, grain and hue. It is both humble and enchanting, blending seamlessly with any design while remaining undeniably alive.



BREATH OF PURITY

A natural shield against dust, allergens, mold, and mildew, cork is a silent guardian of the home. Its natural finishes keep spaces fresh, clean, and alive with a healthy energy. In every room, it creates a healthy sanctuary where the air feels lighter, purer, and tender on the lungs.



BORN OF THE EARTH

Harvested with care, without felling a single tree, cork grows back, layer by layer, year by year. Each plank carries the story of centuries-old oaks, a testament to life’s gentle rhythm. Choosing cork is choosing a floor that honors the earth, a soft footprint that treads lightly yet meaningfully.

**A FLOOR LIKE
NO OTHER**



CORK ARTISANS

NATURALS

A quiet elegance lives within NATURALS. A collection of cork floors shaped by the earth itself, created for spaces where refinement feels at home, be it a dwelling of intimate luxury or a commercial world seeking calm.

At its core, NATURALS carries the serenity of nature's own design. Organic patterns, soft and varied, unfold like whispers of the forest, each texture a distinct signature of the living material. NATURALS lends interiors a gentle, grounding beauty; a natural allure that makes every project breathe.



**Standard**

002 248 000 - 003 248 000
729 248 000 - 728 248 000

**Standard Cream**

002 210 011 - 003 210 011
729 210 011 - 728 210 011

**Standard White**

002 210 012 - 003 210 012
729 210 012 - 728 210 012

**Standard Slate Grey**

002 210 052 - 003 210 052
729 210 052 - 728 210 052

**Twist**

002 901 000 - 003 901 000
729 901 000 - 728 901 000

**Twist Cream**

002 901 011 - 003 901 011
729 901 011 - 728 901 011

**Twist White**

002 901 012 - 003 901 012
729 901 012 - 728 901 012

**Twist Rocky**


002 901 043 - 003 901 043
729 901 043 - 728 901 043

**Champagner**

002 040 000 - 003 040 000
729 040 000 - 728 040 000

**Champagner Sand**

002 039 014 - 003 039 014
729 039 014 - 728 039 014

**Champagner White**

002 039 012 - 003 039 012
729 039 012 - 728 039 012

**Champagner Ash**

002 039 048 - 003 039 048
729 039 048 - 728 039 048

**Element Rustic**

002 111 000 - 003 111 000
729 110 000 - 728 110 000

**Element Rustic Cream**

002 111 011 - 003 111 011
729 110 011 - 728 110 011

**Element Rustic Stone**

002 111 045 - 003 111 045
729 110 045 - 728 110 045

**Country**

002 241 000 - 003 241 000
729 241 000 - 728 241 000



Country Slate Grey
002 241 052 - 003 241 052
729 241 052 - 728 241 052



Country Earth
002 241 026 - 003 241 026
729 241 026 - 728 241 026



Primus
002 179 000 - 003 179 000
729 178 000 - 728 178 000



Primus Sand
002 179 014 - 003 179 014
729 178 014 - 728 178 014



Primus Greige
002 179 055 - 003 179 055
729 178 055 - 728 178 055



Linea
002 121 000 - 030 121 000
729 120 000 - 728 120 000



Linea Cream
002 121 011 - 003 121 011
729 120 011 - 728 120 011



Linea Whisper
002 121 045 - 003 121 045
729 120 045 - 729 120 045



NATURALS | Element Rustic Cream

002 SELECT
003 SELECT PLUS

910 x 300 x 10.5 mm

FLOATING

WEARTOP® high performance matt finish
WEARPLUS® high performance PUR HotCoating® finish (PLUS)
High-density veneered cork surface
Bevelled edges (PLUS)
Moisture resistant HDF fibreboard
All around JOINTSHIELD® edge sealing
Acoustical CLEANCORK® underlay, with Microban® antimicrobial protection
Made with more than 80% of renewable materials – Cork and wood.

729 FIX
728 FIX PLUS

600 x 300 x 4 mm

GLUE DOWN

WEARTOP® high performance matt finish
WEARPLUS® high performance PUR HotCoating® finish (PLUS)
High-density veneered cork composite
Bevelled edges (PLUS)
Made with more than 85% of renewable materials – cork.

[FSC® certified products are available upon request]





RECOLOUR

RECOLOUR is cork flooring reimagined. A modern canvas where hues breathe, brighten, and transform. Its palette stretches from bold, vivid statements to soft, balanced neutrals, infusing any interior with a dynamic visual pulse. Long, elegant planks are framed by subtle micro-bevels, their refined lines adding rhythm and sophistication to the space.

Born from renewable cork, RECOLOUR is durable, expressive, and wonderfully full of character. It invites you to design boldly and freely, while surrounding you with the quiet warmth that only cork can give.





Pearl

216 111 018 - 633 111 018




Cream

216 111 011 - 633 111 011



Sand

216 111 014 - 633 111 014



Canvas

216 111 033 - 633 111 033



Greige

216 111 055 - 633 111 055



Ash

216 111 048 - 633 111 048



Slate Grey

216 111 052 - 633 111 052



Smoke

216 111 042 - 633 111 042




Desert

216 111 044 - 633 111 044




Havana

216 111 201 - 633 111 201



Earth

216 111 026 - 633 111 026



Mocha

216 111 027 - 633 111 027



Saffron

216 111 604 - 633 111 604



Sunset

216 111 626 - 633 111 626



Terracotta

216 111 616 - 633 111 616



Old Rose

216 111 627 - 633 111 627



Blush
216 111 618 – 633 111 618



Lilac
216 111 617 – 633 111 617



Aqua
216 111 623 – 633 111 623




Spring
216 111 625 – 633 111 625



Forest
216 111 612 – 633 111 612



Sky
216 111 614 – 633 111 614



Dove Blue
216 111 620 – 633 111 620



Bluemoon
216 111 621 – 633 111 621



RECOLOUR | Spring

216 ELITE



FLOATING

WEARPLUS® high performance PUR HotCoating® finish
High-density veneered cork surface
Bevelled edges
Moisture resistant HDF fibreboard
Acoustical CLEANCORK® underlay, with Microban® antimicrobial protection
Made with more than 80% of renewable materials – Cork and wood.

633 FIX



GLUE DOWN

WEARPLUS® high performance PUR HotCoating® finish
High-density veneered cork composite
Bevelled edges
Made with more than 85% of renewable materials – cork.

[FSC® certified products are available upon request]





VINTAGE

A cork flooring made for real life, crafted to stand beside you through the rhythms of every day. It installs with ease, welcomes simple care, and gently enhances the comfort of any room it enters. Offered in soothing neutral tones, VINTAGE brings a quiet calm and graceful flexibility to interiors. Subtle micro-bevels trace each narrow tile, adding refinement through delicate detail.

Durable by nature, renewable at heart, and rich with character, VINTAGE is a contemporary expression of cork's timeless charm, a versatile surface that harmonizes beautifully with a wide range of interior styles.





White Sand
116 210 012 – 916 210 012 21



Bisque
116 210 014 – 916 210 014 21



Mist
116 210 052 – 916 210 052 21



Cinnamon
116 210 201 – 916 210 201 21



Natural
116 210 001 – 916 210 001 21



Charcoal
116 210 205 – 916 210 205 21



VINTAGE | Mist

116 ELITE

1164 x 194 x 10.5 mm

FLOATING

WEARPLUS® high performance PUR HotCoating® finish
High-density veneered cork surface
Bevelled edges
Moisture resistant HDF fibreboard
Acoustical CLEANCORK® underlay, with Microban® antimicrobial protection
Made with more than 80% of renewable materials – Cork and wood.

916 FIX

900 x 150 x 6 mm

GLUE DOWN

WEARPLUS® high performance PUR HotCoating® finish
High-density veneered cork composite
Bevelled edges
Made with more than 85% of renewable materials – cork
[FSC® certified products are available upon request]



VITA CLASSIC

Imagine a floor that holds the warmth of wood without a single tree being felled, a surface that greets your step with softness and carries nature's spirit in every line. This is VITA CLASSIC. Through advanced digital printing, cork planks are transformed with striking realism, their grains echoing the beauty of wood while remaining true to a gentler, renewable source.

More than visually captivating, VITA CLASSIC is a thoughtful choice, a blend of refinement, practicality and sustainability, designed for modern interiors that look ahead while staying close to nature.





Country
246 002 02 - 146 002 02
162 002 02



Spice
246 002 01 - 146 002 01
162 002 01



Antique
246 001 01 - 146 001 01
162 001 01



Blond
246 001 02 - 146 001 02
162 001 02



Caramel
246 001 19 - 146 001 19
162 001 19



Tan
246 001 36 - 146 001 36
162 001 36



Java
246 001 04 - 146 001 04
162 001 04



Rust
246 001 20 - 146 001 20
162 001 20



Essential
246 001 55 - 146 001 55
162 001 55



Gold
246 001 32 - 146 001 32
162 001 32




Camel
246 001 03 - 146 001 03
162 001 03



Bistro
246 001 97 - 146 001 97
162 001 97



Anchorage
246 001 99 - 146 001 99
162 001 99



Chill
246 001 53 - 146 001 53
162 001 53



Crispy
246 001 54 - 146 001 54
162 001 54



Breeze
246 001 35 - 146 001 35
162 001 35



Arctic
246 001 09 - 146 001 09
162 001 09



Sand
246 003 01 - 146 003 01
162 003 01



Seashell
246 001 13 - 146 001 13
162 001 13



Concrete Light
147 002 70 - 159 002 70



Concrete Cream
147 002 74 - 159 002 74



Concrete Grey
147 002 71 - 159 002 71



Chevron LR Classic
147 009 01 - 159 009 01



Chevron LR Urban
147 009 02 - 159 009 02



Greystone
246 001 10 - 146 001 10
162 001 10



Oasis
246 001 12 - 146 001 12
162 001 12



Moccassin
246 001 14 - 146 001 14
162 001 14



Dawn
246 001 22 - 146 001 22
162 001 22

246 MASTER

1746 x 194 x 10.5 mm

146 ELITE WOOD

1164 x 194 x 10.5 mm

147 ELITE STONE

1164 x 300 x 10.5 mm

FLOATING

WEARPLUS® high performance PUR HotCoating® finish
High-Definition Digital Printing
High-density cork composite
Bevelled edges
Moisture resistant HDF fibreboard
Acoustical CLEANCORK® underlay, with Microban® antimicrobial protection
Made with more than 80% of renewable materials – Cork and wood.

162 FIX WOOD

900 x 150 x 4 mm

159 FIX STONE

600 x 300 x 4 mm

GLUE DOWN

WEARPLUS® high performance PUR HotCoating® finish
High-Definition Digital Printing
High-density cork composite
Bevelled edges
Made with more than 85% of renewable materials – cork

[FSC® certified products are available upon request]





VITA CLASSIC | Concrete Grey



VITA CLASSIC | Essential



VITA DECOR

VITA DECOR is born from a bold vision, where design meets daring expression. Digitally printed with precision, each pattern is cast upon the warm, living texture of cork, creating floors that are strikingly unique.

Every surface tells a story, turning interiors into expressive, visual journeys. More than a decorative element, VITA DECOR is a conscious choice, a harmony of beauty and responsibility, where modern values meet original, enduring design.





Retile Bold
530 050 10 – 540 050 10



Retile Cool
530 050 11 – 540 050 11



Retile Grey
530 050 12 – 540 050 12



Retile Blue
530 050 13 – 540 050 13



Retile Brown
530 050 14 – 540 050 14



Mondri Pale
530 056 03 – 540 056 03



Venice Stone
530 056 01 – 540 056 01



Venice Bronze
530 056 02 – 540 056 02



Elements Wind
530 241 03 – 540 241 03



Elements Earth
530 241 04 – 540 241 04




Elements Sky
530 241 02 – 540 241 02



Elements Water
530 241 01 – 540 241 01


530 SELECT



FLOATING

WEARTOP® high performance matt finish
High-Definition Digital Printing
High-density cork composite
Moisture resistant HDF fibreboard
All around JOINTSHIELD® edge sealing
Acoustical CLEANCORK® underlay, with Microban® antimicrobial protection
Made with more than 80% of renewable materials – Cork and wood.

540 FIX



GLUE DOWN

WEARTOP® high performance matt finish
High-Definition Digital Printing
High-density cork composite
Made with more than 85% of renewable materials – cork.

[FSC® certified products are available upon request]











CORK ARTISANS

MIX AND MATCH

Nature is our first muse ever, inspiring new designs and ideas. What inspires you? Together, we can craft a floor that is fully yours.

Mix, match, and explore without limits, a canvas for professional creatives to experiment freely, where palettes, textures, and tones blend into an infinite spectrum of possibilities.

Within the architecture of space, every combination tells its own story.

1. TEXTURES

Textures define the soul of a space. Smooth or detailed, grainy or rugged, each surface brings its own feeling, its own voice. Explore our possibilities and craft something truly unique.

2. COLORS

Let your floors speak boldly, or whisper quietly allowing other elements to shine. Follow your instinct, shape your palette, and let the space tell the story you envision.

3. PRINT AND SHAPE

Lines, curves, and patterns breathe movement into a room. Prints guide the eye, evoke narratives, and give character to every corner. Play with geometry, scale, and repetition, and create spaces that almost feel alive.

CUSTOMIZATION



TECHNICAL DATA

			CORK FLOATING FLOORS					GLUE DOWN CORK FLOOR TILES				
			Naturals Select Select Plus	Recolour Elite	Vintage Elite	Vita Classic Master Elite Wood Elite Stone	Vita Decor Select	Naturals Fix Fix Plus	Recolour Fix	Vintage Fix	Vita Classic Fix	Vita Decor Fix
LEVEL OF USE	STANDARD	UNIT										
Residential	EN ISO 10874	Class	23	23	23	23	23	23	23	23	23	23
Commercial	EN ISO 10874	Class	33	33	33	33	33	33	33	33	33	33
GENERAL PROPERTIES	STANDARD	UNIT										
Dimensions	EN ISO 24342	mm	910x300 ±0,1%	1164x300 ±0,1%	1164x194 ±0,1%	1746x194 ±0,1% 1164x194 ±0,1% 1164x300 ±0,1%	910x300 ±0,1%	600x300 ±0,2%	900x150 ±0,2%	900x150 ±0,2%	900x150 ±0,2% 600x300 ±0,2%	600x300 ±0,2%
Thickness	EN ISO 24346	mm	10,5 ±0,2	10,5 ±0,2	10,5 ±0,2	10,5 ±0,2	10,5 ±0,2	4 ±0,15	4 ±0,15	4 ±0,15	4 ±0,15	4 ±0,15
Squareness	EN ISO 24342	mm	< 0,2	< 0,2	< 0,2	< 0,2	< 0,2	< 0,4	< 0,4	< 0,4	< 0,4	< 0,4
Straightness	EN ISO 24342	mm	< 0,3	< 0,3	< 0,3	< 0,3	< 0,3	< 0,4	< 0,4	< 0,4	< 0,4	< 0,4
Apparent density	ISO 3850	Kg/m³						> 500	> 500	> 500	> 500	> 500
Mass per unit area	EN ISO 23997	g/m²	7900 ±10%	7900 ±10%	7900 ±10%	7900 ±10%	7900 ±10%	2300 ±10%	2300 ±10%	3300 ±10%	2600 ±10%	2600 ±10%
Flatness of the panel Length concave/convex Width concave/convex	EN ISO 20326	%	< 0,5 / 1,0 < 0,10 / 0,15	< 0,5 / 1,0 < 0,10 / 0,15	< 0,5 / 1,0 < 0,10 / 0,15	< 0,5 / 1,0 < 0,10 / 0,15	< 0,5 / 1,0 < 0,10 / 0,15					
Opening between panels	EN ISO 20326	mm	< 0,15	< 0,15	< 0,15	< 0,15	< 0,15					
Height difference between panels	EN ISO 20326	mm	< 0,15	< 0,15	< 0,15	< 0,15	< 0,15					
Residual indentation	EN ISO 24343-1	mm	< 0,25	< 0,25	< 0,25	< 0,25	< 0,25	< 0,3	< 0,3	< 0,3	< 0,3	< 0,3
Effect of a furniture leg	EN ISO 16581	No visible damages					No visible damages					
Effect of a castor chair	EN ISO 4918	No visible damages					No visible damages					
Dimensional variation	EN ISO 20326	%	< 0,25	< 0,25	< 0,25	< 0,25	< 0,25					
Dimensional stability	EN ISO 23999	%						< 0,03	< 0,03	< 0,03	< 0,03	< 0,03
Moisture Content	EN 12105	%						≤ 6	≤ 6	≤ 6	≤ 6	≤ 6
Curling	EN ISO 23999	mm						< 14	< 14	< 14	< 14	< 14
Wear resistance	EN 14354	Rev.	> 5000	> 5000	> 5000	> 5000	> 5000	> 5000	> 5000	> 5000	> 5000	> 5000
Thickness Swelling	ISO 24336	%	< 15	< 15	< 15	< 15	< 15					
Locking strength Long / Short	ISO 24334	kN/m	> 3 / > 4	> 3 / > 4	> 3 / > 4	> 3 / > 4	> 3 / > 4					
SAFETY PROPERTIES	STANDARD	UNIT										
Reaction to fire	EN 13501-1	Class	C _s -s1	C _s -s1	C _s -s1	C _s -s1	C _s -s1	C _s -s1	C _s -s1	C _s -s1	C _s -s1	C _s -s1
Formaldehyde emission	EN 717-2	Class	E1	E1	E1	E1	E1					
Slip resistance	EN 14041	Class	DS	DS	DS	DS	DS	DS	DS	DS	DS	DS
Sliding coefficient	EN 13893	CoF	> 0,34 (R11)	> 0,34 (R11)	> 0,34 (R11)	> 0,34 (R11)	> 0,34 (R11)	> 0,34 (R11)	> 0,34 (R11)	> 0,34 (R11)	> 0,34 (R11)	> 0,34 (R11)
ADDITIONAL PROPERTIES	STANDARD	UNIT										
Thermal resistance	EN 12667	m².K/W	0,10	0,10	0,10	0,10	0,10	0,05	0,05	0,07	0,05	0,05
Thermal conductivity	EN 12667	W/m.K	0,11	0,11	0,11	0,11	0,11	0,09	0,09	0,09	0,09	0,09
Impact noise reduction	EN ISO 10140-3	dB	19	19	19	19	19	14	14	14	14	14
Light fastness	EN ISO 105-B02	Blue scale	5	5	5	6	6	5	5	5	6	6
Scratch resistance	EN 438-2	Scale	Rating 2					Rating 2				
Impact resistance (small ball)	EN 438-2	N	> 40	> 40	> 40	> 40	> 40	> 40	> 40	> 40	> 40	> 40
OTHER FEATURES												
Installation system	Click System											
Finish	WEARTOP® WEARPLUS® WEARPLUS® WEARPLUS® WEARPLUS® WEARTOP®											
FSC® certification	Available on request											
VOC Emission Certifications	Greenguard Gold; AgBB; A+											
Antimicrobial protection	CleanCork Powered by Microban®											
Warranty	Years	15 Y Residential 5 Y Commercial										
m² per carton (pieces)	m² (un)	1,91 m² (7)	2,1 m² (6)	1,58 m² (7)	2,03 m² (6) 1,58 m² (7) 2,1 m² (6)		1,91 m² (7)	7,92 m² (44)	5,94 m² (44)	3,78 m² (28)	5,94 m² (44) 7,92 m² (44)	7,92 m² (44)
m² per pallet (cartons)	m² (un)	107 m² (56)	100,8 m² (48)	88,5 m² (56)	103,8 m² (56) 88,5 m² (56) 100,8 m² (48)		107 m² (56)	427,7 m² (54)	332,6 m² (56)	211,7 m² (56)	332,6 m² (56) 427,7 m² (54)	427,7 m² (54)
Weight of carton	Kg	15	17	13	16 / 13 / 17		15	16	15	14	16 / 17	17

WEARTOP

high performance coating

High performance and low VOCs surface finish with high wear, impact and chemical resistance.

WEARPLUS

high performance hotcoating

HotCoating® PUR and waterbased finish with very high wear, impact and chemical resistance with a natural look-and-feel.

HDFCORE

moisture resistant HDF

Moisture resistant and low swelling High-Density Fibreboard (HDF), E1, CARB ATCM Phase II and TSCA Title VI compliant.

AGGLOPur

no added formaldehyde

Formaldehyde-free, PVC-free and phthalates-free cork agglomeration technology.

JOINTSHIELD

edge sealing technology

Edge impregnation system for improved moisture resistance and superior joint protection.

4BEVEL

4 edges bevelled

4 sides bevelling edges for aesthetic enhancement.

HDDP

high definition digital print

Digital print proprietary technology using with variable dot printing and exclusive printing techniques.

AWS

authentic wood structure

Production technology that finely emboss wood structure on a cork surface.



Integrated antibacterial protection in the cork underlay, thanks to exclusive Microban® technology.



VOC certification assuring that strict indoor air emissions limits are met.



FSC® C044061 Certified chain-of-custody system, meeting the requirements of Forest Stewardship Council® standards.



International symbol identifying products made with genuine cork.

Although every effort has been made to ensure accuracy during the production of this catalogue, GRANORTE disclaims potential product changes and possible print errors. The product photos may not accurately match the real colour and texture of the finished product.

WE PROVIDE AN AUTHENTIC
INSIGHT INTO THE WORLD OF
CORK AND DESIGN.

THE HERITAGE THAT DEFINED
US NOW GUIDES US FORWARD.

GRANORTE - REVESTIMENTOS DE CORTIÇA, LDA.
Avenida Santiago, 68 | 4520-470 Rio Medo | PORTUGAL
info@granorte.pt | www.granorte.pt

GRANORTE GmbH DEUTSCHLAND
Nimrodstraße 22 | 90441 Nürnberg | GERMANY
info@granorte.de | www.granorte.de

GRANORTE UK LTD
Unit 18 Cedar Court | Halesfield 17 | Telford TF7 4PF | UK
info@granorte.co.uk | www.granorte.co.uk

VANETON SRL A UNICO SOCIO
Via Repubblica di San Marino, 38 | 41122 Modena | ITALY
info@granorte.it | www.granorte.it

SHANGHAI PARQUET CORK IMPORT & EXPORT CO. LTD.
3000 Longdong Avenue, Pudong New District 201203
Shanghai | CHINA

BEIJING PARQUET CORK IMPORT & EXPORT CO. LTD.
Room 106, Building 23 Sanfengli, Chaoyang District 100022
Beijing | CHINA

